Modhumoti Bank Limited

Common Services Division

MMBL/CSD/PAF/Y2020/June-13/006 Date: 13.06.2020

| SL No. | Description | Unit/ Quantity | Unit Price | Total Price |
|--------|--|-------------------|---------------|----------------|
| 1 | Fire proof Strong Room Door with Grill Door | | | |
| | Size: 7'-0"x4'-0" | | | |
| | Door slab & door frame 6 mm MS plates making it impervious to sock. Steel channel section to grip security 10" thick opening at front & back. The frame is constructed of heavy 2"x2"x4mm section steel angles at front with solid steel lobby plates for protection against possible collapse with adjustable hinge mechanism. | | | |
| | Vault Works: Strongly built door up with door slab by solid tee steel flanges on all four sides with powerful shooting bolts 1 ½" diameter. | | | |
| | Lock System: Two locks each of which are controlled by two different sets of key. All keys are double fitted and would be supplied duplicate. Fittings 2 no's 12 lever lock. | | | |
| | Fire Protection: The Iron safe is fire proof the thickness of Fire clay powder will be $\frac{1}{2}$. | | | |
| | Relocking Device Best quality Extra (If desired) | 01 No | | |
| | Temper plate Extra 10 mm. (If desired) | 01 No | | |
| | Fire Proof Iron Safe | | | |
| | Size: 36" X 30" X 30" | | | |
| 2 | Door slab & outer body 6 mm MS plates & Inside 3 mm Plate & 14 Gauges. Two Drawer. | | | |
| | Vault Works: Strongly Built up with door slab by solid tee steel Flanges on all four sides a heavy lock case fitted with powerful shooting bolts 1 ½" Diameter and works simultaneously by a pilot wheel. The shooting bolt mechanism is assembled on the firm base of the door slab. | 01 No | | |
| | Locks system: Two locks each of which are controlled by two different sets of key. All keys are double fitted and would be supplied duplicate. Fittings 2 no's 12 lever lock. | | | |
| | Fire Protection: The Iron safe is fire proof the thickness of fire clay powder will be $\frac{1}{2}$. | | | |
| | Relocking Device Best quality Extra | 01 No | | |
| | Temper plate Extra. | 01 No | | |
| | BSTI Certificate | | | <u> </u> |
| | Fire Proof Iron Safe | | | |
| | Size: 48" X 30" X 30" | | | |
| | Door slab & outer body 6 mm MS plates & Inside 3 mm Plate & 14 Gauges. Two Drawer. | | | |

| 3 | Vault Works: Strongly Built up with door slab by solid tee steel Flanges on all four sides a heavy lock case fitted with powerful shooting bolts 1 ½" Diameter and works simultaneously by a pilot wheel. The shooting bolt mechanism is assembled on the firm base of the door slab. Locks system: Two locks each of which are controlled by two different sets of key. All keys are double fitted and would be supplied duplicate. Fittings 2 no's 12 lever lock. Fire Protection: The Iron safe is fire proof the thickness of fire clay powder will be ½". | 01 No | |
|---------|--|----------------|------|
| | Relocking Device Best quality Extra (If desired) | 01 No | |
| | | | |
| | Temper plate Extra. (If desired) | 01 No | |
| | BSTI Certificate | | |
| 4 | Fire Proof Iron Safe Size: 60" X 30" X 30" Door slab & outer body 6 mm MS plates & Inside 3 mm Plate & 14 Gauges. Two Drawer. Vault Works: Strongly Built up with door slab by solid tee steel Flanges on all four sides a heavy lock case fitted with | 01 No | |
| | powerful shooting bolts 1 ½" Diameter and works simultaneously by a pilot wheel. The shooting bolt mechanism is assembled on the firm base of the door slab. Locks system: Two locks each of which are controlled by two different sets of key. All keys are double fitted and | | |
| | would be supplied duplicate. Fittings 2 no's 12 lever lock. Fire Protection: The Iron safe is fire proof the thickness of fire clay powder will be ½". Relocking Device Best quality Extra (If desired) | 01 No | |
| | Temper plate Extra. (If desired) | 01 No | |
| | BSTI Certificate | 01110 | |
| | Steel Almirah | | |
| 5 | Size: 6'-0"x3'-0"x1-8" Made by 20 Gauge M.s Steel, 4 slaves and spray painting & Foreign lock fittings. | 01 No | |
| 6 | Steel Rack Size: 6'-6"x4'-0"x1-6" Made by 18 Gauge M.s Steel sheet, 1 ½ "x1 ½" x 1/8 " M.s angle completion with painting , 5 shelves and spray painting & Foreign lock fittings | 01 No | |
| 7 | Steel File CabinetSize : 54"x24"x 18"Made by 20Gauge M.s sheet complete with spray painting with 4 drawers. | 01 No | |
| 8 | Steel File Cabinet (Hit paint) Size : 54"x24"x 18" | 01 No | |
| | Made by 20Gauge M.s sheet complete with spray painting | | |
| | Made by 20Gauge M.s sheet complete with spray painting with 4 drawers. | | |
| 9 | Made by 20Gauge M.s sheet complete with spray painting with 4 drawers. Steel Cash Cabinet , Size: 24"x20"x18" | 01 No | |
| 9 | Made by 20Gauge M.s sheet complete with spray painting with 4 drawers. Steel Cash Cabinet , Size: 24"x20"x18" With 3 drawers made of 20 gauge sheet complete with | 01 No | |
| 9 10 | Made by 20Gauge M.s sheet complete with spray painting with 4 drawers. Steel Cash Cabinet , Size: 24"x20"x18" With 3 drawers made of 20 gauge sheet complete with Steel Trunk, Size 36"x20"x16" Made of 20 Gauge M.s Steel, Spray painting & lock fitting. | 01 No 01 No | |
| | Made by 20Gauge M.s sheet complete with spray painting with 4 drawers. Steel Cash Cabinet , Size: 24"x20"x18" With 3 drawers made of 20 gauge sheet complete with Steel Trunk, Size 36"x20"x16" | | |

General Terms and Conditions:

1. Purchaser's Right: The Purchaser reserves the right to accept/ cancel/ reject any or all offer without assigning any reason. The Purchaser is not obliged to purchase the lowest offer or any offer at all. The Purchaser reserves the right to share the Bidder's response to this RFQ with its advisors and Purchaser Business Units. Purchaser reserves the right to: conduct negotiations with one or more Bidder and/ or accept the Bid without any negotiations.

2. Bid Submission/ Closing Date: The Quotation shall be mail to the below mentioned address: Chairman Purchase Committee, CSD Division Level-7, Modhumoti Bank Limited, Gulshan, Dhaka by 12:00 PM (Bangladesh Standard Time) 21, June, 2020. The Purchaser reserves the right to reject any Quotation submitted after the Closing Date. The Purchaser reserves the right to change the Time schedule at any time.

3. Required Content of the Quotation: Quotation must be submitted as per prescribed form as instructed below:

i. Proposal must be addressed for "Chairman Purchase Committee" of Modhumoti Bank Limited.

ii. Complete proposal/offer must be signed with date by the authorized representative of the company.

4. Quotation Validity: The Quotation shall be valid for 1 year (360) calendar days from the Quotation submission/ closing date.

5. Manipulation or any kind of unusual approach or failure to submit the proposal/offer within stipulated time frame will be treated as "Disqualification" to attend in the bidding.

Commercial Terms and Conditions:

1. Price: The quoted price should include applicable VAT. The rate of VAT should be mentioned in the quotation.

2. Delivery Place: Anywhere in Bangladesh

3. Payment Terms: Payment will be made after Final Acceptance (FAC will be given after successful delivery) & upon submission of the bill with work order & original challan which is duly signed by authorized personnel (Name & Seal, if available). Payment will be made through Bank Account only.

4. Price Submission: The bidder shall have to submit the price in the letter head pad.

5. The Bidder shall have to submit their proposal as per the format attached with the RFQ. Any proposal not following the format will be considered as disqualify and will not consider for

Thanks & Regards

SM Shahin Iqbal AVP & Head of CSD. Cell-01714097777